

For Office Use Only

### 2018 Hickman Area Soccer Registration Pre-K-3rd Hickman Parks & Recreation Department

Hickman Parks & Recreation Department P.O. Box 127, Hickman, NE 68372 www.hickman.ne.gov

	- site of 2 ii ii i / igo
Name       Date of Birth Age	
E-Mail Add	ress
City	State Zip
II ()	Work ()
	Email:
_	eived After Aug. 3 <sup>rd</sup> , 2018 TER August 13 <sup>th</sup> , 2018 at ay Be Available
HIRT*	
UDES SHIRT*	Soccer Shirts are
	same as T-ball & Coach Pitch Shirts
L (14/16)	
rd(s) picture(s) to be on the	he City of Hickman Facebook, Website and/or Newsletter.
RELEASE OF LIAE	<u>BILITY</u>
you will be waiving and	releasing all claims for injuries that you or your mino
	certain risks of physical injury and agree to assume the ful as a result of participating in any and all activities connected
ischarge the City of Hicki	of Hickman and its officials, officers, agents, servants and man and its officials, officers, agents, servants, employees my minor child/ward may have or which may incur or may
	officers, agents, servants, employees and volunteers from or my minor child/ward and or arising out of connected with
ining a concussion, includ	e provided items that address the following:
,	isk and Waiver and Release of All Claims and have
	ion and waiver and increase of All Claims and have
Print Name	Date
	E-Mail Add  City  II ()  Registrations Rec EACCEPTED AF STANCE Program Mo SHIRT*  LUDES SHIRT*  L (14/16)  rd(s) picture(s) to be on the second

□ Date Received \_\_\_\_ □ Fees Paid Total \$ \_\_\_\_ □ Check # \_\_\_ □ Cash Receipt # \_\_\_\_



# Parent/Athlete Concussion Information Sheet

A concussion is a type of traumatic brain injury that changes the way the brain normally works. A concussion is caused by bump, blow, or jolt to the head or body that causes the head and brain to move rapidly back and forth. Even a "ding," "getting your bell rung," or what seems to be a mild bump or blow to the head can be serious.

### WHAT ARE THE SIGNS AND SYMPTOMS OF CONCUSSION?

Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury.

If an athlete reports **one or more** symptoms of concussion listed below after a bump, blow, or jolt to

#### Did You Know?

- Most concussions occur without loss of consciousness.
- Athletes who have, at any point in their lives, had a concussion have an increased risk for another concussion.
- Young children and teens are more likely to get a concussion and take longer to recover than adults.

the head or body, s/he should be kept out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says s/he is symptom-free and it's OK to return to play.

SIGNS OBSERVED BY COACHING STAFF	SYMPTOMS REPORTED BY ATHLETES	
Appears dazed or stunned	Headache or "pressure" in head	
Is confused about assignment or position	Nausea or vomiting	
Forgets an instruction	Balance problems or dizziness	
Is unsure of game, score, or opponent	Double or blurry vision	
Moves clumsily	Sensitivity to light	
Answers questions slowly	Sensitivity to noise	
Loses consciousness (even briefly)	Feeling sluggish, hazy, foggy, or groggy	
Shows mood, behavior, or personality changes	Concentration or memory problems	
Can't recall events <i>prior</i> to hit or fall	Confusion	
Can't recall events <i>after</i> hit or fall	Just not "feeling right" or "feeling down"	

#### CONCUSSION DANGER SIGNS

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention if after a bump, blow, or jolt to the head or body s/he exhibits any of the following danger signs:

- One pupil larger than the other
- · Is drowsy or cannot be awakened
- A headache that not only does not diminish, but gets worse
- · Weakness, numbness, or decreased coordination
- · Repeated vomiting or nausea
- Slurred speech
- · Convulsions or seizures
- · Cannot recognize people or places
- · Becomes increasingly confused, restless, or agitated
- · Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

### WHY SHOULD AN ATHLETE REPORT THEIR SYMPTOMS?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, s/he is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brain. They can even be fatal.

#### Remember

Concussions affect people differently. While most athletes with a concussion recover quickly and fully, some will have symptoms that last for days, or even weeks. A more serious concussion can last for months or longer.

## WHAT SHOULD YOU DO IF YOU THINK YOUR ATHLETE HAS A CONCUSSION?

If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says s/he is symptom-free and it's OK to return to play.

Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, or playing video games, may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.

It's better to miss one game than the whole season. For more information on concussions, visit: **www.cdc.gov/Concussion**.